Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("good state" and "bad state" and "degraded state").clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 18:17
S1	9	(("4503535") or ("5758077") or ("6389551") or ("6609213")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:26
S2	2	chassis with degraded with state with node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:22
S3	2	("4536317").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:26
S4	2	("4836317").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:46
S5	1569	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:47
S6	759	714/43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:47
S7	170	714/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:47
S8	349	714/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 13:48

	-					
S9	6	(S5 S6 S7 S8) and ((degraded) with (mode status) with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:17
S10	6	("20020086671" "20030051195" "5504921" "6006016" "6072777" "6249755").PN. OR ("7062683"). URPN.	US-PGPUB; USPAT; USOCR	OR .	ON	2006/06/22 13:50
S11	18	("4455645" "5193086" "5313456" "5581542" "5796718" "5926102").PN. OR ("6202170"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/22 13:56
S12		("6928589").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/22 13:56
S13	12	("20030158936" "20040100971" "5390326" "5898827" "6072857" "6304546" "6389550" "6389551" "6609213" "6654801" "6725401" "6728896").PN. OR ("6928589").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/22 14:03
S14	0	(S5 S6 S7 S8) and (((chassis) with (alert error critical)) same ((node) with (status)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/06/22 16:21
S15	2	(((chassis) with (alert error critical)) same ((node) with (status)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:18
S16	. 11	(((chassis) with (alert error critical)) same ((node)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:18
S17	26	(S5 S6 S7 S8) and temperature and degrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:30
S18	12	(crown with prince with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:23

S20	375	(S5 S6 S7 S8) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:31
S21	17	(S5 S6 S7 S8) and (status with (node server) with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:31
S22	323	(S5) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:31
S23	64	(S6) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/06/22 16:31
S24	9	(S7) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:32
S25	7	(S8) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:35
S26	95	(S7) and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:31
S27	145	(S8) and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:31
S28	39	(S5) and (status with (node server)) and (degrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:32
S29	4	(critical with chassis with (error code)) and "714"/\$2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:35

			,			,
S30	5	(critical with chassis with (error code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:36
S31	36	(chassis with (error code)) and ("714"/\$2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 16:36
S32	7	(US-6654801-\$ or US-6725401-\$ or US-6609213-\$ or US-6389550-\$ or US-6304546-\$ or US-6072857-\$ or US-6694455-\$).did.	USPAT	OR	ON	2006/06/22 16:52
S33	2	S32 and register	USPAT	OR	ON	2006/06/22 17:13
S34	939	(node same status same register)	USPAT	OR	ON	2006/06/22 17:13
S35	206	(node same status same register same network)	USPAT	OR	ON	2006/06/22 17:13
S36	19	(node same status same register same network) and ("714"/\$2.ccls.)	USPAT	OR	ON	2006/06/22 17:15
S37	0	(node same status same register same alarm) and ("714"/\$2.ccls.)	USPAT	OR	ON	2006/06/22 17:15
S38	14	(node same status same register same alarm)	USPAT	OR	ON	2006/06/22 17:15
S39	1	((temperature with critical) same (fan) and (room)) and ("714"/\$2. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/22 17:26
S40	4	(("4503534") or ("5758077")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/19 10:24
S41	10	(US-6609213-\$ or US-6725401-\$ or US-6654801-\$ or US-6389550-\$ or US-6304546-\$ or US-6072857-\$ or US-6694455-\$ or US-6738811-\$). did.	USPAT	OR	ON	2006/12/19 19:38
S42	2	((US-6609213-\$ or US-6725401-\$ or US-6654801-\$ or US-6389550-\$ or US-6304546-\$ or US-6072857-\$ or US-6694455-\$ or US-6738811-\$). did.) and (chassis and code)	USPAT	OR	ON	2006/12/19 19:39
S43	6	(chassis adj code)	USPAT	OR	ON	2006/12/19 19:40

				00	011	2006/42/40 40 45
S44	24	(chassis adj code)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:40
S45	1706	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S46	819	714/43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S47	182	714/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S48	372	714/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S49	0	(S45 S46 S47 S48) and (((chassis) with (alert error critical)) same ((node) with (status)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S50	6	(S45 S46 S47 S48) and ((degraded) with (mode status) with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:57
S51	19	(S45 S46 S47 S48) and (status with (node server) with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:58
S52	30	(S45 S46 S47 S48) and temperature and degrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:58

S53	68	(S46) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2006/12/19 19:58
S54	103	(S47) and (status)	IBM_TDB US-PGPUB;	OR	ON	2006/12/19 19:58
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S55	155	(S48) and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/12/19 19:58
S56	43	(S45) and (status with (node server)) and (degrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:59
S57	10	(S47) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:59
S58		(S48) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:59
S59	40	(chassis with (error code)) and ("714"/\$2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 19:59
S60	20	(node same status same register same network) and ("714"/\$2.ccls.)	USPAT	OR	ON	2006/12/19 20:00
S61	15	(node same status same register same alarm)	USPAT	OR	ON	2006/12/19 20:01
S62	6	(chassis adj code)	USPAT	OR	ON	2007/03/15 16:17
S63	24	(chassis adj code)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17

				1		
S64	1760	714/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/03/15 16:17
S65	843	714/43.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17
S66	182	714/56.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 18:16
S67	376	714/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17
S68	6	(S64 S65 S66 S67) and ((degraded) with (mode status) with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17
S69	- 20	(S64 S65 S66 S67) and (status with (node server) with register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17
S70	31	(S64 S65 S66 S67) and temperature and degrad\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:17
S71	71	(S65) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18
S72	103	(S66) and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18
S73	156	(S67) and (status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18

S74	43	(S64) and (status with (node server)) and (degrad\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18
S75	10	(S66) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18
S76	8	(S67) and (status with (node server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:18
S77	40	(chassis with (error code)) and ("714"/\$2.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 16:19
S78	20	(node same status same register same network) and ("714"/\$2.ccls.)	USPAT	OR	ON	2007/03/15 16:19
S79	15	(node same status same register same alarm)	USPAT	OR	ON	2007/03/15 16:19